



| | | |
|--|---|--------------------------------|
| Form 1449 (Modified) Information Disclosure Statement By Applicant (Use Several Sheets if Necessary) | Atty Docket No. MXGNP004X1/0311.310 | Application No.: 10/629,351 |
| | Applicant: Gustafsson et al. Filing Date July 29, 2003 | Group 1645 |

Other Documents

| Examiner Initial | No. | Author, Title, Date, Place (e.g. Journal) of Publication |
|------------------|-----|--|
| | C1 | Hellberg et al., "The Prediction of Bradykinin Potentiating Potency of Pentapeptides. An Example of a Peptide Quantitative Structure-Activity Relationship," <i>Acta Chemica Scandinavica B</i> 40, pp. 135-140, 1988 |
| | C2 | Bucht et al., "Optimising the Signal Peptide for Glycosyl Phosphatidylinositol Modification of Human Acetylcholinesterase Using Mutational Analysis and Peptide-Quantitative Structure-Activity Relationships," <i>Biochimica et Biophysica Acta</i> 1431, pp. 471-482, 1999 |
| | C3 | Sandberg et al., "Engineering Multiple Properties of a Protein by Combinatorial Mutagenesis," <i>Proc. Natl. Acad. Sci. USA</i> , Vol. 90, pp. 8367-8371, September 1993 |
| | C4 | Wrede et al., "Peptide Design Aided by Neural Networks: Biological Activity of Artificial Signal Peptidase I Cleavage Sites," <i>Biochemistry</i> , 37, pp. 3588-3593, 1998 |
| | C5 | Jill Damborsky, "Quantitative Structure-Function and Structure-Stability Relationships of Purposely Modified Proteins," <i>Protein Engineering</i> , Vol. 11, no. 1, pp. 21-30, 1998 |
| | C6 | Hellberg, et al., "Peptide Quantitative Structure-Activity Relationships, a Multivariate Approach," <i>J. Med Chem</i> , 30: pp 1126-1195, 1987 |
| | C7 | Sandberg et al., "New Chemical Descriptors Relevant for the Design of Biologically Active Peptides. A Multivariate Characterization of 87 Amino Acids," <i>J. Med Chem.</i> , 41, pp. 2481-2491, 1998 |
| | C8 | Casari et al., "A Method to Predict Functional Residues in Proteins," <i>Nat. Struct Biol.</i> , 2, pp. 171-178, 1995 |
| | C9 | Suzuki et al., "A Method for Detecting Positive Selection at Single Amino Acid Sites," <i>Mol. Biol. Evol.</i> 16 (10): pp. 1315-1328, 1999 |
| | C10 | Benner et al., "Amino Acid Substitution During Functionally Constrained Divergent Evolution of Protein Sequences," <i>Protein Engineering</i> , Vol. 7, No. 11, pp. 1323-1332, 1994 |

| | | |
|--|---------------------|------------------|
| Form 1449 (Modified) Information Disclosure Statement By Applicant (Use Several Sheets if Necessary) | Atty Docket No. | Application No.: |
| | MXGNP004X1/0311.310 | 10/629,351 |
| | Applicant: | |
| | Gustafsson et al. | |
| | Filing Date | Group |
| | July 29, 2003 | 1645 |

| | |
|-----|--|
| C11 | Wu et al., "Discovering Empirically Conserved Amino Acid Substitution Groups in Databases of Protein Families," Proc. Int. Conf. Intell. Syst. Mol. Biol., 4, pp. 230-240, 1996 |
| C12 | Adenot et al., "Peptides Quantitative Structure-Function Relationships: An Automated Mutation Strategy to Design Peptides and Pseudopeptides from Substitution Matrices," Journal of Molecular Graphics and Modelling, 17, pp. 292-309, 1999 |
| C13 | Norinder et al., "A Quantitative Structure-Activity Relationship Study of Some Substance P-Related Peptides," J. Peptide Res., 49, pp. 155-162, 1997 |
| C14 | Sandberg, "Deciphering Sequence Data a Multivariate Approach," Ph.D Thesis, Umea: Umea University, 78 pages, 1997 |
| C15 | Eriksson et al., "Peptide QSAR on Substance P Analogues, Enkephalins and Bradykinins Containing L-and D-Amino Acids," Acta Chemica Scandinavica, 44, pp. 50-56, 1990 |
| C16 | Ufkes et al., "Further Studies on the Structure-Activity Relationships of Bradykinin-Potentiating Peptides," European Journal of Pharmacology, 79, pp. 155-158, 1982 |
| C17 | Dobrynin et al., "Synthesis of Model Promoter for Gene Expression in Escherichia Coli," Symposium Series No. 7, pp. 365-376, 1980 |
| C18 | Skinner et al., "Potential Use of Additivity of Mutational Effects in Simplifying Protein Engineering," Proc. Natl. Acad. Sci., Vol. 93, pp. 10753-10757, 1996 |
| C19 | Lathrop et al., "Global Optimum Protein Threading with Gapped Alignment and Empirical Pair Score Functions," J. Mol. Biol., 255, pp. 641-665, 1996 |
| C20 | Hellberg et al., "A Multivariate Approach to QSAR," Ph.D. Thesis, Umea, Sweden: University of Umea: 1986 |
| C21 | Nambier et al., "Total Synthesis and Cloning of a Gene Coding for the Ribonuclease S Protein," Science, 223: 1299-1301, 1984 |
| C22 | Lin et al., "Functional Expression of Horseradish Peroxidase in E. Coli by Directed Evolution," Biotechnol. Prog, 15: 467-471, 1999 |
| C23 | Lathrop R.H., "The Protein Threading Problems with Sequence Amino Acids Interaction Preference is NP-Complete," Protein Eng., 7:1059-1068, 1994 |
| C24 | Hanes et al., "In Vitro Selection and Evolution of Functional Proteins by Using Ribosomes Display," Proc. Natl. Acad. Sci. USA, 94: 4937-4942, 1997 |
| C25 | Wells et al., "Rapid Evolution of Peptide and Protein Binding Properties <i>in vitro</i> ," Curr Opin Biotechnol, 3:355-362, 1992 |

| | | |
|--|---------------------|------------------|
| Form 1449 (Modified) Information Disclosure Statement By Applicant (Use Several Sheets if Necessary) | Atty Docket No. | Application No.: |
| | MXGNP004X1/0311.310 | 10/629,351 |
| | Applicant: | |
| | Gustafsson et al. | |
| | Filing Date | Group |
| | July 29, 2003 | 1645 |

| | | |
|--|-----|---|
| | C26 | Johnson et al., "The Traveling Salesman Problem: A Case Study in Local Optimization," In Local Search in Combinatorial Optimization, Edited by Aarts et al., John Wiley & Sons Ltd., 21-310, 1997 |
| | C28 | Jonsson et al., "Quantitative Sequence-Activity Models (QSAM) – Tools for Sequence Design," Nucleic Acids Res., 21:733-739, 1993 |
| | C29 | Geladi et al., "Partial Least Squares Regression: A Tutorial," Anal Chim Acta, 168: 1-17, 1986 |
| | C30 | Holowachuk et al., "Efficient Gene Synthesis by Klenow Assembly/Extension-Pfu Polymerase Amplification (KAPPA) of Overlapping Oligonucleotides," PCR Methods Appl, 4:299-302, 1995 |
| | C31 | Hellberg et al., "Minimum Analogue Peptide Sets (MAPS) for Quantitative Structure-Activity Relationships," Int J Pept Protein Res, 37:414-424, 1991 |
| | C32 | Mee et al., "Design of Active Analogues of a 15-Residue Peptide Using D-Optimal Design, QSAR and a Combinatorial Search Algorithm," J Pept Res, 49:89-102, 1997 |
| | C33 | Schneider et al., "Peptide Design by Artificial Neural Networks and Computer-Based Evolutionary Search," Proc Natl Acad Sci USA, 95:12179-12184, 1998 |
| | C34 | Sjostrom et al., "Signal Peptide Amino Acid Sequences in Escherichia Coli Contain Information Related to Final Protein Localization, A Multivariate Data Analysis," EMBO, 6:823-891, 1987 |
| | C35 | Patel et al., "Patenting Computer-Designed Peptides," Journal of Computer-Aided Molecular Design, 12:543-556, 1998 |
| | C36 | Aita et al., "Theory of Evolutionary Molecular Engineering Through Simultaneous Accumulation of Advantageous Mutations," J. Theor. Biol., 207:543-556, 2000 |
| | C37 | Darius et al., "Simulated Molecular Evolution of Computer Generated Artifacts?," Biophysical Journal, 67:2120-2122, 1994 |
| | C38 | Singh et al., "Application of Genetic Algorithms to Combinatorial Synthesis: A Computational Approach to Lead Identification and Lead Optimization," J. Am. Chem. Soc., 118:1669-1676, 1996 |
| | C39 | Aita et al., "Analysis of Local Fitness Landscape with a Model of the Rough Mt. Fuji-Type Landscape: Application to Prolyl Endopeptidase and Thermolysin," Biopolymers. Vol. 54, pp. 64-79, Accepted January 14, 2000 |
| | C40 | Gogos et al., "Assignment of Enzyme Substrate Specificity by Principal Component Analysis of Aligned Protein Sequences: An Experimental Test Using DNA Glycosylase Homologs," Proteins: Structure, Function, and Genetics, 40, pp. 98-105, 2000 |

| | | |
|--|---------------------|------------------|
| Form 1449 (Modified) Information Disclosure Statement By Applicant (Use Several Sheets if Necessary) | Atty Docket No. | Application No.: |
| | MXGNP004X1/0311.310 | 10/629,351 |
| | Applicant: | |
| | Gustafsson et al. | |
| | Filing Date | Group |
| | July 29, 2003 | 1645 |

| | | |
|--|-----|--|
| | C41 | "Vector NTI Suite 7.0 User's Manual (portion) describing software believed to be available prior to February 1, 2000 |
| | C42 | Tobin et al., "Directed Evolution: The 'Rational' Bases for 'Irrational' Design," Curr. Opin Struct Biol., 10:421-427, 2000 |
| | C43 | van Regenmortel, M.H., "Are There Two Distinct Research Strategies for Developing Biologically Active Molecules: Rational Design and Empirical Selection?," J. Mol. Recognit, 13:1-4, 2000 |
| | C44 | Ryu DD et al., "Recent Progress in Biomolecular Engineering," Biotechnol Prog., 16:2-16, 2000 |
| | C45 | Gustafsson et al., "Exploration of Sequence Space for Protein Engineering," J. Mol. Recognit, 14:308-314, 2001 |
| | C46 | Glieder et al., "Laboratory Evolution of a Soluble, Self-Sufficient, Highly Active Alkaline Hydroxylase," Nat Biotechnol, 20:1135-1139, 2002 |
| | C47 | Lehman et al., "Exchanging the Active Site Between Phytases for Altering the Functional Properties of the Enzyme," Protein Sci, 9:1866-1872, 2000 |
| | C48 | Kwasigroch et al., "PoPMuSiC, Rationally Designing Point Mutations in Protein Structures," Bioinformatics, 16:1701-1702, 2002 |
| | C49 | Tangri et al., "Rationally Engineered Proteins or Antibodies with Absent or Reduced Immunogenicity," Curr Med Chem, 9:2191-2199, 2002 |
| | C50 | Pierce et al., "Protein Design is NP-Hard," Protein Eng, 15:779-782, 2002 |
| | C51 | Ness et al., "Molecular Breeding: The Natural Approach to Protein Design," Adv Protein Chem, 55:261-292, 2000 |
| | C52 | Lehmann et al., "The Consensus Concept for Thermostability Engineering of Proteins: Further Proof of Concept," Protein Eng., 15:403-411, 2002 |
| | C53 | Dimmic et al., "rtREV: An Amino Acid Substitution Matrix for Inference of Retrovirus and Reverse Transcriptase Phylogeny," J. Mol Evol, 55:65-73, 2002 |
| | C54 | Aita et al., "A Cross-Section of the Fitness Landscape of Dihydrofolate Reductase," Protein Eng, 14:633-638, 2001 |
| | C55 | Strom et al., "Important Structural Features of 15-Residue Lactoferricin Derivatives and Methods for Improvement of Antimicrobial Activity," Biochem Cell Biol, 80:65-74, 2002 |
| | C56 | Choulier et al., "QSAR Studies Applied to the Prediction of Antigen-Antibody Interaction Kinetics as Measured by BIACORE," Protein Eng, 15(5):378-382 (2002) |
| | C57 | Hoover et al., "DNAWorks: An Automated Method for Designing Oligonucleotides for PCR-Based Gene Synthesis," Nucleic Acids Res, 30:E43, 2002 |

| | | |
|--|--|--------------------------------|
| Form 1449 (Modified) | Atty Docket No. MXGNP004X1/0311.310 | Application No.: 10/629,351 |
| Information Disclosure Statement By Applicant | Applicant: Gustafsson et al. | |
| (Use Several Sheets if Necessary) | Filing Date July 29, 2003 | Group 1645 |

| | | |
|--|-----|---|
| | C58 | Abecassis et al., "High Efficiency Family Shuffling Based on Multi-Step PCR and In vivo DNA Recombination in Yeast: Statistical and Functional Analysis of a Combinatorial Library Between Human Cytochrome P460 1A1 and 1A2," Nucleic Acids Res., 28:E88, 2000 |
| | C60 | Aita et al., "Surveying a Local Fitness Landscape of a Protein with Epistatic Altee for the Study of Directed Evolution," Biopolymers, 64:95-106, 2002 |
| | C61 | Prusis et al., "Proteo-chemometrics Analysis of MSH Peptide Binding to Melancortin Receptors," Protein Eng, 15:305-311, 2002 |
| | C62 | Prusis et al., "PLS Modeling of Chimeric MS04/MSH-Peptide and MC1/MC3-Receptor Interaction Reveals a Novel Method for the Analysis of Ligand-Receptor Interactions," Biochim Biophys Acta, 1544(1-2):350-357, 2001 |
| | C63 | Lu et al., "Predicting the Reactivity of Proteins from Their Sequence Alone: Kazal Family of Protein Inhibitors of Serine Proteinases," Proc Natl Acad Sci USA, 98(4):1410-1415, 2001 |
| | C64 | Schein et al., "Chloroplast Transit Peptide Prediction: A Peek Inside the Black Box," Nucleic Acids Res, 29:E82, 2001 |
| | C65 | Fariselli et al., "Prediction of Protein-Protein Interaction Sites in Heterocomplexes with Neural Networks," Eur J Biochem, 269:1356-1361, 2002 |
| | C66 | Fariselli et al., "Prediction of Contact Maps with Neural Networks and Correlated Mutations," Protein Eng, 14(11): 835-843, 2001 |
| | C67 | Marvanova et al., "Biochemical Characterization of Broad-Specificity Enzymes Using Multivariate Experimental Design and a Colorimetric Microplate Assay: Characterization of the Haloalkane Dehalogenase Mutants," J. Microbiol Methods, 44:14-157, 2001 |
| | C68 | Looger et al., "Computational Design of Receptor and Sensor Proteins with Novel Functions, Nature, 423:185-190, 2003 |
| | C69 | Govindarajan et al., "Systematic Variation of Amino Acid Substitutions for Stringent Assessment of Pairwise Covariation," J. Mol. Biol, 328:1061-1069, 2003 |
| | C70 | del Sol Mesa et al., "Automatic Methods for Predicting Functionality Important Residues," J Mol Biol, 326:1289-1302, 2003 |
| | C71 | Benos et al., "Additivity in Protein-DNA Interactions: How Good an Approximation is it?" Nucleic Acids Res 30(20): 4442-51, 2002 |
| | C72 | Bogarad et al., "A Hierarchical Approach to Protein Molecular Evolution," Proc Natl Acad Sci USA, 96:2591-2595, 0666 (1999) |

| | | |
|--|---------------------|------------------|
| Form 1449 (Modified) Information Disclosure Statement By Applicant (Use Several Sheets if Necessary) | Atty Docket No. | Application No.: |
| | MXGNP004X1/0311.310 | 10/629,351 |
| | Applicant: | |
| | Gustafsson et al. | |
| | Filing Date | Group |
| | July 29, 2003 | 1645 |

| | |
|-----|--|
| C73 | Carlsen et al., "QSAR's Based on Partial Order Ranking," SAR QSAR Environ Res, 13(1): 153-165, 2002 |
| C74 | Cramer et al., "DNA Shuffling of a Family of Genes from Diverse Species Accelerates Directed Evolution," Nature, 391:288-291, 1998 |
| C75 | Dill K.A., "Additivity Principles in Biochemistry," J Biol Chem, 272(2): 701-704, 1997 |
| C76 | Distefano et al., "Quantifying Beta-Sheet Stability by Phage Display," J Mol Biol, 322(1):179-188, 2002 |
| C77 | Hayes et al., "Combining Computational and Experimental Screening for Rapid Optimization of Protein Properties," Proc Natl Acad Sci USA, 99(25):15926-15931, 2002 |
| C78 | Kell, D.B., "Metabolomics and Machine Learning: Explanatory Analysis of Complex Metabolome Data Using Genetic Programming to Produce Simple, Robust Rules," Mol Biol Rep, 29(1-2): 237-241, 2002 |
| C79 | Koshi et al., "Context-Dependent Optimal Substitution Matrices," Protein Eng, 8:641-645, 1995 |
| C80 | Koshi et al., "Mutation Matrices and Physical-Chemical Properties: Correlations and Implications," Proteins 27(3):336-344, 1997 |
| C81 | Lahr et al., "Patterned Library Analysis: A Method for the Quantitative Assessment of Hypotheses Concerning the Determinants of Protein Structure," Proc Natl Acad Sci USA, 96(26):14860-14865, 1999 |
| C82 | Lapinsh et al., "Classification of G-Protein Coupled Receptors by Alignment Independent Extraction of Principal Chemical Properties of Primary Amino Acid Sequences," Protein Sci 11(4):795-805 (2002) |
| C83 | Lapinsh et al., "Development of Proteo-Chemometrics: A Novel Technology for the Analysis of Drug-Receptor Interactions," Biochim Biophys Acta, 1525(1-2): 180-190 (2002) |
| C84 | Lapinsh et al., "Protechemometrics Modeling of the Interaction of Amine G-Protein Coupled Receptors with a Diverse Set of Ligands," Mol Pharmacol 61(6): 1465-1475, 2002 |
| C85 | Lapinsh et al., "QSAR and Proteo-Chemometric Analysis of the Interaction of a Series of Organic Compounds with Melanocortin Receptor Subtypes," J Med Chem, 46(13): 2572-2579, 2003 |
| C86 | Lee et al., "Mathematical Modelling of Inset Neuropeptide Potencies. Are Quantitatively Predictive Models Possible," Insect Biochem Mol Biol, 30(10): 899-907, 2000 |

| | | |
|--|---------------------|------------------|
| Form 1449 (Modified) Information Disclosure Statement By Applicant (Use Several Sheets if Necessary) | Atty Docket No. | Application No.: |
| | MXGNP004X1/0311.310 | 10/629,351 |
| | Applicant: | |
| | Gustafsson et al. | |
| | Filing Date | Group |
| | July 29, 2003 | 1645 |

| | |
|------|---|
| C87 | Lehman et al., "Engineering Proteins Thermostability: the Use of sequence Alignments Versus Rational Design and Directed Evolution," Current Opinion in Biotechnology 12:371-375, 2001 |
| C88 | Linusson et al., Statistical Molecular Design of Building Blocks for Combinatorial Chemistry," J Med Chem, 43(7): 1320-1328, 2000 |
| C89 | Matsuura et al., "Nonadditivity of Mutational Effects on the Properties of Catalase I and its Application to Efficient Directed Evolution," Protein Eng, 11(9): 789-795, 1998 |
| C90 | Nakai et al., "Structure Modification and Functionality of Whey Proteins: Quantitative Structure-Activity Relationship Approach," J Dairy Sci, 68(10):2763-2772, 1985 |
| C91 | Nakai et al., "Recent Advances in Structure and Function of Food Proteins: QSAR Approach," Crit Rev Food Sci Nutr, 33(6):477-499 (1993) |
| C92 | Ness et al., "Synthetic Shuffling Expands Functional Protein Diversity by Allowing Amino Acids to Recombine Independently," Nat Biotechnol, 20(12):1251-1255, 2002 |
| C93 | Niggemann et al., "Exploring Local and Non-Local Interactions for Protein Stability by Structural Motif Engineering," J Mol Biol, 296(1):181-195, 2000 |
| C94 | Nikolova et al., "Semirational Design of Active Tumor Suppressor p53 DNA Binding Domain with Enhanced Stability," Proc Natl Acad Sci USA, 95(25): 14675-14680, 1998 |
| C95 | Reymond et al., "Substrate Arrays as Enzyme Fingerprinting Tools," ChemBiochem, 3(8):701-708, 2002 |
| C100 | Sadowski et al., "Automated Generation and Refinement of Protein Signatures: Case Study with G-Protein Coupled Receptors," Bioinformatics, 19(6): 727-734, 2003 |
| C101 | Shaw et al., "Predicting Amino Acid Residues Responsible for Enzyme Specificity Solely from Protein Sequences," Biotechnol Bioeng, 79(3): 295-300, 2002 |
| C102 | Sheridan et al., "Designing Targeted Libraries with Genetic Algorithms," J Mol Graph Model, 18(4-5): 320-345, 525, 2000 |
| C103 | Siebert, K.J., "Quantitative Structure-Activity Relationship Modeling of Peptide and Protein Behavior as a Function of Amino Acid Composition," J Agric Food Chem, 49(2): 851-858, 2001 |
| C104 | Siebert, K.J., "Modeling Protein Function Properties from Amino Acid Composition," J Agric Food Chem, 51(26): 7792-7797, 2003 |
| C105 | Soyer et al., "Using Evolutionary Methods to Study G-Protein Coupled Receptors," Pac Symp Biocomput: 625-636, 2002 |

| | | |
|--|---------------------|------------------|
| Form 1449 (Modified) Information Disclosure Statement By Applicant (Use Several Sheets if Necessary) | Atty Docket No. | Application No.: |
| | MXGNP004X1/0311.310 | 10/629,351 |
| | Applicant: | |
| | Gustafsson et al. | |
| | Filing Date | Group |
| | July 29, 2003 | 1645 |

| | | |
|------------------|------|--|
| | C106 | Steipe, B., "Evolutionary Approaches to Protein Engineering," Curr Top Microbiol Immunol, 243: 55-86, 1999 |
| | C107 | Umeno et al., "Evolution of the C30 Carotenoid Synthase CrtM for Function in a C40 Pathway," J Bacteriol 184(23): 6690-6699, 2002 |
| | C108 | Veraverbeke et al., "Wheat Protein Composition and Properties of Wheat Glutenin in Relation to Breadmaking Functionality," Crit Rev Food Sci Nutr, 42(3): 179-208, 2002 |
| | C109 | Wahler et al., "Enzyme Fingerprints by Fluorogenic and Chromogenic Substrate Arrays," Angew Chem Int Ed Engl, 40(23): 4457-4460, 2001 |
| | C110 | Wahler et al., "Enzyme Fingerprints of Activity, and Stereo and Enantioselectivity from Fluorogenic and Chromogenic Substrate Arrays," Chemistry, 8(14): 3211-3228, 2002 |
| | C111 | Wang et al., "Designing Gene Libraries from Protein Profiles for Combinatorial Protein Experiments," Nucleic Acids Res, 30(21): e120, 2002 |
| | C112 | Wells, J.A., "Additivity of Mutational Effects in Proteins," Biochemistry, 29(37): 8509-8517, 1990 |
| | C113 | Wikberg et al., "Melanocortin Receptors: Ligands and Protechemometrics Modeling," Ann NY Acad Sci, 994:21-26, 2003 |
| | C114 | Martin et al., "Measuring Diversity: Experimental Design of Combinatorial Libraries for Drug Discovery," J. Med. Chem. 38, 1431-1436, 1995 |
| | C115 | Sheridan et al., "Using a Genetic Algorithm to Suggest Combinatorial Libraries," J. Chem. Inf. Compu. Sci., 35, 310-320, 1995 |
| | C116 | D.K. Agrafiotis, "Multiobjective Optimization of Combinatorial Libraries," IBM J. Res & Dev., Vol, 45, No. 3, 545-566, 2001 |
| Examiner | | Date Considered |
| /Anna Skibinsky/ | | 03/16/2010 |

Examiner: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.